

Alpina






ALP

Alpina

Custom dowel timber linear luminaire for interior installation. Available in 1500mm and 1800mm lengths. Manufactured using solid timber, aluminium channel and opal diffuser. Constant voltage remote driver required. Tridonic LLE flexible module.



Technical data


Profile:	D40mm
Material:	Timber + aluminium + PMMA
IP Rating:	IP20
Light Source:	Tridonic LLE flexible module
Colour Temp:	3000° K Warm white 4000° K Cool white
CRI:	CRI80+ (90+ available)
Beam Angle:	110° Direct
Dimming:	Phase-cut (included) SwitchDIM DALI Casambi
Driver:	24V constant voltage
Suspension:	2-in-1 Suspension cables
Warranty:	3 Years (only applies to electrics)
Leadtime:	1-3 Weeks

Length (mm)	Output
	Standard (lms)
1500	1450
1800	1750


Finish options

 Tasmanian Oak	 Black Japan	 French White Wash
--	---	---

Mounting options



Canopy options (For option M2 above)



Suspension placement

Suspension mounts can be specified anywhere along the length of the linear. If the mounting centres are not specified the standard is:

1500 & 1800mm length = 150mm from each end

If custom placement is required, please specify the required placement before ordering.

Suspension lengths

The standard suspension lengths are as per the below:

Wire = 2000mm
Rods = Up to 1200mm continuous then join

If custom suspension length is required, please specify the required length before ordering.

Canopy finishes

All canopies are available in the following finishes:

Texture Black
Texture White
Texture Silver
Gold Pearl
Copper Bronze
Dark Bronze

If a canopy finish is not specified, Texture White will be supplied as standard.

Timber canopies are not available.

CONT=SSA

Alpina code generator

Product Code	Length		Finish		Colour Temp		Mounting		Canopies (for M2)		Driver	
	1500mm	150	Tas Oak	TO	3000K	3	Bullets	M1	RC38	R38	Phase Cut	PC
	1800mm	180	Black Japan	BJ	4000K	4	Canopies	M2	RC70	R70	SwitchDim	SwD
			White Wash	FW			Rods	M3	SC70	S70	DALI	DA
							Centre Canopy	M4	SC100	S100	Casambi	CAS
							Side Canopy	M5	(Leave blank if not required)			
ALP	—		—		—		—		—		—	

(Example: ALP-180-TO-3-M1-PC)