

Saturn Convex








PHYSICAL CHARACTERISTICS:


DIMENSIONS

- 1500mm L x 350mm W (Stocked Standard)
- CUSTOM WIDTH
 - 450mm
 - 600mm
 - 800mm
 - 1000mm
 - 1200mm
 - 1500mm
- CUSTOM LENGTH
 - 1200mm
 - 1800mm
 - 2000mm
 - 2400mm
 - 2700mm
 - 3000mm


FRAME FINISHES:

- Texture Black (Stocked) 
- Texture White (Stocked) 
- Gold Pearl 
- Copper Bronze 
- Dark Bronze 
- Texture Silver 
- Custom Powder Coat Finish: *Please specify,*

PROFILE SIZE:



DIRECT LIGHT
(Stocked)



DIRECT / INDIRECT LIGHT

ELECTRICAL CONFIGURATION:

PCB LIGHT ENGINE (Constant Current)

1500x350mm = 60 Watts | 4800 Lumens

DISTRIBUTION

- Direct light. 100° Diffused.
- Direct & In-direct light optional. Diffused. In-direct output is same as direct output. (Profile = W20mm x H40mm)

CCT

- 3000K Warm White (Stocked)
- 4000K Cool White (Stocked)
- 5000K Day Light
- RGB (Different wattage applies)
- RGBW (Different wattage applies)

CRI

- CRI >80 (standard)

IP RATING

IP20 (For indoor use only. Should not be used in wet areas)

DIMMING

- Phase Cut (Only 1500x350mm)
- 1-10V Volt
- SwitchDIM
- DALI

CONTROL GEAR


Tridonic constant current P/C dimmable driver
Meanwell 1-10V dimmable driver
Tridonic One4All DALI constant current driver

WARRANTY


- 3 Years (standard)
- 5 Years (optional - fees apply)

MOUNTING OPTIONS:

Option 1 - Suspended with Centre Canopy
(4 x Wires - Driver built in to canopy)



Option 2 - Suspended Direct to Ceiling
(4 x Wires - Remotely stored driver)



SUSPENSION LENGTH

Suspension lengths can be specified longer however the standard is;

Wires = 4 x 3000mm long (adjustable)

Custom length *Please specify,*


FIXTURE WEIGHT:

1500x350mm = approx. 5 Kg

CANOPY OPTIONS:

Option 1 Canopy

500mm Centre Mount (M1)




Option 2 Single Canopies


38mm Mini-Mount (M2/38R)
Recessed Cut-out 32mm



70mm Recessed (M2/70R)
Recessed Cut-out 51mm



70mm Surface (M2/70S)



Code Generator:

Product	Dimensions	Finish	Distribution	CCT	Mounting	Driver
SATURN CONVEX	1500x350 - 150	Texture Black - BL	Direct - DWN <i>Stocked</i>	3000K - 3K	Option 1 - M1	Phase Cut - PC
	CUSTOM - C/S	Texture White - WH	Direct & Indirect - UPD <i>Indent</i>	4000K - 4K	Option 2 - M2/B	I-10 Volt - 110V
		Gold Pearl - GP		6500K - 5K	M2/38R	DALI - DA
		Copper Bronze - CB		RGB - RGB	M2/70R	SwitchDIM - SwD
		Dark Bronze - DB		RGBW - RGBW	M2/70S	
		Texture Silver - TS				
		CUSTOM - C/F				
SC						

When specifying custom details e.g. size or finish, please include the details in the comments section of the online project quote request function on our website or include in the lighting schedule.