

Solida






CONTESSA

ST

Solida

Custom timber linear luminaire for interior installation. Set lengths stocked with custom lengths available. Solid timber body, aluminium channel and opal diffuser. Constant voltage remote driver required. Tridonic LLE flexible module.



Length (mm)	Output
	Standard (lms)
1200	1160
1800	1750
2400	2330
Custom (6-8 Week leadtime)	-

Finish options

-  Blackbutt
-  Black Japan
-  French White Wash

Technical data

Profile:	W30mm x H90mm
Material:	Timber + aluminium + PMMA
IP Rating:	IP20
Light Source:	Tridonic LLE flexible module
Colour Temp:	3000° K Warm white 4000° K Cool white
CRI:	CRI80+ (90+ available)
Beam Angle:	110° Direct (+ in-direct available)
Dimming:	Phase-cut (included)
	SwitchDIM
	DALI
	Casambi
Driver:	24V constant voltage
Suspension:	2-in-1 Suspension cables
Warranty:	3 Years (only applies to electrics)
Leadtime:	1-3 Weeks


COPYRIGHT © 2026

1300 887 948


sales@contessalighting.com.au
contessalighting.com.au

Mounting options


M1 - Bullets




M2 - Canopies




M3 - Rods



M4 - Centre Linear Canopy (450x65x41mmH)




M5 - Side Linear Canopy (240x65x41mmH)



Canopy options (For option M2 above)


RC38

(32mm cut-out)




RC70


(51mm cut-out)



SC70



SC100



Solida code generator

Product Code	Length		Finish		Colour Temp		Mounting		Canopies (for M2)		Driver	
	1200mm	120	Blackbutt	BB	3000K	3K	Bullets	M1	RC38	R38	Phase Cut	PC
	1800mm	180	Black Japan	BJ	4000K	4K	Canopies	M2	RC70	R70	SwitchDim	SwD
	2400mm	240	White Wash	FW			Rods	M3	SC70	S70	DALI	DA
	Custom	XXX					Centre Canopy	M4	SC100	S100	Casambi	CAS
	(Custom <8 weeks ETA)						Side Canopy	M5	(Leave blank if not required)			
ST	—	—	—	—	—	—	—	—	—	—	—	—

(Example: ST-240-BB-3K-M2-S70-PC)

Suspension placement

Suspension mounts can be specified anywhere along the length of the linear. If the mounting centres are not specified the standard is:

1500 & 1800mm length = 150mm from each end
2400mm length = 250mm from each end

If custom placement is required, please specify the required placement before ordering.

Suspension lengths

The standard suspension lengths are as per the below:

Wire = 2000mm
Rods = Up to 1200mm continuous then join

If custom suspension length is required, please specify the required length before ordering.

Canopy finishes

All canopies are available in the following finishes:

Texture Black
Texture White
Texture Silver
Gold Pearl
Copper Bronze
Dark Bronze

If a canopy finish is not specified, Texture White will be supplied as standard.

Timber canopies are not available.