


Acoustic Nimbus






ANIM

Acoustic Nimbus

Suspended acoustic circular pendant for interior installation. Available in set diameters. Manufactured in Australia using acoustic material. Up to 30 finishes available. Suspended with direct to ceiling wires or centre canopy.



Options

Diameter (Ømm)	Power	Output
600	28W	1900 Lms
800	42W	2070 Lms
1000	57W	3450 Lms
1200	65W	4100 Lms

Acoustic finish options

Frost	Parchment	Linen	Ivory
Smoke	Pebble	Fossil	Greige
Storm	Pewter	Slate	Tar
Ecru	Bark	Elderberry	Saffron
Ochre	Brick*	Mandarin	Sunshine
Meadow	Malachite	Olive	Grass
Cadet	Twilight	Midnight	Chambray
Sky	Cobalt		

Technical data

Profile height:	25mm
Material:	Acoustic board + metal + acrylic
IP Rating:	IP20
Light Source:	LED PCB boards
	3000°K Warm white
Colour Temp:	4000°K Cool white
	5000°K Day light (<i>indent</i>)
CRI:	CRI80+
Beam Angle:	110° Direct
Driver:	Constant current
	Phase dimmable
Dimming:	DALI
	SwitchDIM
Suspension:	3 x 3m Wire 2-in-1 cable
Warranty:	3 Years (<i>5 years available</i>)
Leadtime:	4-5 Weeks

Frame finish options

Texture Black

Texture White

Texture Silver

Gold Pearl


Copper Bronze

Dark Bronze

Dulux

Custom Dulux Powder Finish

Mounting options



Suspension lengths

The standard suspension lengths are as per the below:

Cable = 3000mm

If custom suspension length is required, please specify the required length before ordering.

M2 Canopy Dimensions


The M2 centre canopy dimensions are as per the below:

Diameter 240mmØ x 41mmH

If a custom size canopy is required, please contact a Contessa lighting consultant.

Material Acoustic Performance

DISTANCE APART/INS	Frequency/Hz	100	125	160	200	250	315	400	500	630	800	1000	1250	1600	2000	2500	3150	4000	ā	NRC
	0mm	0.03	0.01	0.09	0.04	0.05	0.09	0.12	0.25	0.32	0.49	0.61	0.72	0.82	0.85	0.91	0.94	0.95	0.44	0.45
	50mm	0.20	0.16	0.22	0.32	0.46	0.56	0.63	0.80	0.89	1.03	1.04	0.99	1.07	1.00	0.93	0.87	0.92	0.81	0.80
	150mm	0.29	0.46	0.44	0.57	0.69	0.81	0.97	0.96	0.91	1.04	0.92	0.80	0.94	0.94	0.91	0.90	0.91	0.87	0.90



Acoustic Nimbus code generator

Product Code	Diameter		Acoustic Finish				Frame Finish		Colour Temp		Mounting		Driver	
	600mm	60	Frost	FRO	Saffron	SAF	Texture Black	TB	3000K	3K	Bullets	M1	Phase Cut	PC
	800mm	80	Parchment	PAR	Ochre	OCH	Texture White	TW	4000K	4K	Canopy	M2	SwitchDIM	SwD
	1000mm	100	Linen	LIN	Brick	BRI	Texture Silver	TD	5000K	5K			DALI	DA
	1200mm	120	Ivory	IVO	Mandarin	MAN	Gold Pearl	GP					Casambi	CAS
			Smoke	SMO	Sunshine	SUN	Copper Bronze	CB						
			Pebble	PEB	Meadow	MEA	Dark Bronze	DB						
			Fossil	FOS	Malachite	MAL	Custom Finish	XX						
			Greige	GRE	Olive	OLI								
			Storm	STO	Grass	GRA								
			Pewter	PEW	Cadet	CAD								
			Slate	SLA	Twilight	TWI								
			Tar	TAR	Midnight	MID								
			Ecru	ECU	Chambray	CHA								
			Bark	BAR	Sky	SKY								
			Elderberry	ELD	Cobalt	COB								
ANIM	—	—	—	—	—	—	—	—	—	—	—	—	—	—

(Example: ANIM-80-OLI-TW-4K-M2-PC)