

contessalighting.com.au COPYRIGHT © 2024

Tube 25














PHYSICAL CHARACTERISTICS:

DESCRIPTION	TUBE FINISHES:	TUBE DIAMETER:		
The Tube 25 is an Australian custom made Tube Pendant Light available in multiple lengths and finishes. Can be suspended indivdually or in clusters.	Texture Black	25		
LENGTHS	Texture White			
400mm 600mm 800mm 1000mm Custom Length: Please specify,	☐ Brushed Gold			
	Gold Pearl			
	Copper Bronze			
	Dark Bronze			
DIFFUSER Clear Acrylic (10mm high)	Texture Silver			
	Custom Powder Coast Finish: Please specify,			
ELECTRICAL CONFIGURATION:				
CREE LIGHT ENGINE (Constant Current)	CRI	WARRANTY		
POWER = 5 Watts = 320 Lumens	CRI >80 (standard)	3 Years (standard)		
DISTRIBUTION	IP RATING	5 Years (optional - fees apply)		
Direct light. 15° Optic. CCT	IP20 (For indoor use only. Should not be used in wet areas)			
3000K Warm White	DIMMING			
4000K Cool White	Phase Cut (Included) SwitchDIM DALI			
	CONTROL GEAR Contessa constant voltage P/C dimmable driver			

Tridonic One4All DALI constant voltage driver



MOUNTING OPTIONS:



Code Generator:

Product	Diameter	Finish	CCT	Mounting	Canopy	Driver
TUBE 25	400MM - 45	Texture Black - BL	3000К - 3К	Option 1 - M1	Recess 38mm - R38	On/Off - OFF
	600MM - 60	Texture White - WH	4000K - 4K	Option 2 - M2	Recess 70mm - R70	Phase Cut-PC
	800MM - 80	Gold Pearl - GP		Option 3 - M3	Surface 70mm - s70	DALI - DA
	1000MM - 100	Copper Bronze - CB				SwitchDIM- SwD
	CUSTOM - CL	Dark Bronze - DB				Casambi - CAS
		Texture - TS				
		Brushed - BG				
		CUSTOM - CF				
T25		-		<u> </u>	- (·	-

When specifying custom details e.g. cluster details, please include the details in the comments section of the online project quote request function on our website or include in the lighting schedule.