

Linear 90

Direct






LP-2090D

Linear 90 Direct

Custom suspended linear luminaire for interior installation. Continuous lengths from 1000mm to 3000mm then join. Extruded aluminium body, PMMA diffuser. Constant voltage remote driver required. Tridonic LLE flexible module.



Length (mm)	Output options	
	Standard (lms)	High output (lms)
1200	1160	1560
1500	1450	1960
1800	1750	2350
2000	1940	2600
2400	2330	3130
2700	2620	3520
3000	2900	3900
Custom	960 lms/m	1300 lms/m

Finish options












Technical data

Profile:	W20mm x H90mm
Material:	Extruded aluminium + PMMA
IP Rating:	IP20
Light Source:	Tridonic LLE flexible module
	3000° K Warm white
Colour Temp:	4000° K Cool white
	Tunable white (MOQ 10+)
CRI:	CRI80+ (90+ available)
Beam Angle:	110° Direct
	Phase-cut (included)
Dimming:	SwitchDIM
	DALI
	Casambi
Driver:	24V constant voltage
Suspension:	2-in-1 Suspension cables
Warranty:	3 Years (only applies to electrics)
Leadtime:	1-3 Weeks

COPYRIGHT © 2026
1300 887 948

sales@contessalighting.com.au
contessalighting.com.au

CONTESSA

Mounting options**M1 - Bullets****M2 - Canopies****M3 - Rods****M4 - Centre Linear Canopy (450x65x41mmH)****M5 - Side Linear Canopy (240x65x41mmH)****Canopy options (For option M2 above)****RC38 (32mm cut-out)****RC70 (51mm cut-out)****SC70****SC100****Suspension placement**

Suspension mounts can be specified anywhere along the length of the linear. If the mounting centres are not specified the standard is:

<2000mm length = 200mm from each end
2100 - 3000mm length = 300mm from each end

If custom placement is required, please specify the required placement before ordering.

Suspension lengths

The standard suspension lengths are as per the below:

Wire = 2000mm

Rods = Up to 1200mm continuous then join

If custom suspension length is required, please specify the required length before ordering.

Canopy finishes

All canopies are available in the following finishes:

Texture Black

Texture White

Texture Silver

Gold Pearl

Copper Bronze

Dark Bronze

If a canopy finish is not specified, Texture White will be supplied as standard.

Linear 90 code generator

Product Code	Length	Finish	Output	Colour Temp		Mounting	Canopies (for M2)	Driver					
1200mm	120	Texture Black	TB	Standard	SO	3000K	3K	Bullets	M1	RC38	R38	Phase Cut	PC
1500mm	150	Texture White	TW	High Output	HO	4000K	4K	Canopies	M2	RC70	R70	SwitchDim	SwD
1800mm	180	Texture Silver	TS			Tunable	TW	Rods	M3	SC70	S70	DALI	DA
2000mm	200	Gold Pearl	GP					Centre Canopy	M4	SC100	S100	Casambi	CAS
2400mm	240	Brushed Brass	BB					Side Canopy	M5	(Leave blank if not required)			
2700mm	270	Copper Bronze	CB										
3000mm	300	Dark Bronze	DB										
Custom	xxx	Custom	xx										

LP-2090D — — — — — — —

(Example: LP-2090D-180-TW-SO-4K-M4-PC)