

Tri-QR





Product Features:

- Custom Made to order
- High quality componentry
- Available in set sizes or customise
- Black, White, Brass or custom finishes
- Up to 100 lm/W efficacy
- Suspended, surface mounted or recessed
- Use Junctions to create larger shapes
- Up to 6 profile options
- 2700K to 6000K
- Up to 5 year warranty
- Shop drawings available






DALI
OPTIONAL

IP20
RATED

5 YR
WARRANTY

Physical Characteristics:

Profile Options:



Standard Dimensions:


600MM		
Profile Size	Power	Lumens
LP4060	13W	1300 lms
LP6060	30W	3000 lms
LP4080	13W	1300 lms
LP6080	30W	3000 lms
LP60100	30W	3000 lms
LP80100		

900MM		
Profile Size	Power	Lumens
LP4060	15W	1500 lms
LP6060		
LP4080	15W	1500 lms
LP6080		
LP60100		
LP80100		

1200MM		
Profile Size	Power	Lumens
LP4060	20W	2000 lms
LP6060	50W	5000 lms
LP4080	20W	2000 lms
LP6080	50W	5000 lms
LP60100	50W	5000 lms
LP80100		

Custom Dimensions:

The Tri-QR series pendant dimensions can be customised. For dimensions 1500mm and greater the fitting will be manufactured in parts like the below diagram. Contessa will work with you to manufacture the Tri-QR to the nearest size increment that you specify.



A/mm	B/mm	C/mm	D/mm CORNER DIAMETER
40 60 80 100	200	Custom	300
			400
			450
			600
			650
			680
			750
			900
			1000
			1050
			1200

**Note* - If the corner diameter is not specified, we will manufacture using the standard diameter to the overall size.*




Electrical Configuration:

Dimming	CCT	CRI	INPUT
On / Off	2700K	>80 (Standard)	100-277V
DALI	3000K	>90	
SwitchDIM	4000K	>95	
1-10V	6000K		
	RGB		
	RGBW		
	Tunable White		

Finishes:

	Texture Black		Texture White		Tarnished Brass		Custom Finish Specify
--	---------------	---	---------------	---	-----------------	---	--------------------------------------

Mounting Options:



**Note* - Larger recessed mounted Tri-Q fittings may require additional supports in the ceiling space*

Code Generator:

Product	Profile	Size	Finish	Mounting	CCT	Driver
TRI-QR	40x60	600	Black BL	Pendant PEN	2700K 2.7	On/Off STA
	60x60	900	White WH	Surface SUR	3000K 3	SwitchD SwD
	40x80	1200	T/Brass TB	Recessed REC	4000K 4	DALI DALI
	60x80	Custom	Custom CM		5000K 5	1-10V 110V
	60x100				RGB R1	
	80x100				RGBW R2	
					Tunable TUN	

When specifying custom details e.g. size, finish & angle diameter, please include the details in the comments section of the online project quote request function on our website or include in the lighting schedule.