Tri-Z

COPYRIGHT © 2022

CONTESSA
bespoke lighting design

Tri-Z



Product Features:

- Custom Made to order
- High quality components
- Available in 6 set sizes
- Black, White, Brass or custom finishes
- Up to 100 lm/W efficacy
- Suspended, surface mounted or recessed
- 2 Height options
- 2700K to 6000K
- Up to 5 year warranty
- Shop drawings available

DALI OPTIONAL | IP20 RATED | 5 YR WARRANTY

Physical Characteristics:

Available Sizes:

450MM



Profile Height	Power	Lumens
80mm	16W	1600 lms
100mm		

600MM



Profile Height	Power	Lumens
80mm	30W	3000 lms
100mm		

750MM



Profile Height	Power	Lumens
80mm	45W	4500 lms
100mm		

900MM



Profile Height	Power	Lumens
80mm	60W	6000 lms
100mm		

1050MM



Profile Height	Power	Lumens
80mm	80W	8000 lms
100mm		

1200MM



Profile Height	Power	Lumens
80mm	100W	10000 lms
100mm		

COPYRIGHT © 2022

CONTESSA
bespoke lighting design

Tri-Z

Electrical Configuration:

Dimming	CCT	CRI	INPUT
On / Off	2700K	>80 (Standard)	100-277V
DALI	3000K	>90	
SwitchDIM	4000K	>95	
1-10V	6000K		
	RGB		
	RGBW		
	Tunable White		

Finishes:

Texture Black

Texture White

Tarnished Brass

Custom Finish *Specify*

Mounting Options:

Suspended (Standard 2.0M)



Surface Mounted



Recessed



**Note* - Larger recessed mounted Quad-Z fittings may require additional supports in the ceiling space*

Code Generator:

Product	Height/mm	Size/mm	Finish		Mounting		CCT		Driver	
TRI-Z	80	450	Black	BL	Pendant	PEN	2700K	2.7	On/Off	STA
	100	600	White	WH	Surface	SUR	3000K	3	SwitchD	SwD
		750	T/Brass	TB	Recessed	REC	4000K	4	DALI	DALI
		900	Custom	CM			5000K	5	1-10V	110V
		1050					RGB	R1		
		1200					RGBW	R2		
							Tunable	TUN		

When specifying custom details e.g. finish, please include the details in the comments section of the project quote request function on our website or include in the lighting schedule.

Tel: 1300 887 9448 | Email: sales@contessalighting.com.au | Web: contessalighting.com.au

COPYRIGHT © 2022